

**DOGETT FREIGHTLINER OF SOUTH TEXAS LLC - AUSTIN**1701 Smith Rd.  
Austin, Texas 78721Bus: 512-389-0000  
Fax: 512-389-2663**INV #:****DATE:** 10/28/2025  
**INVOICE / BUYER'S ORDER**

BUYER'S NAME		TELEPHONE	
CITY OF SEGUIN		830-379-3212	
ADDRESS		CITY	STATE
205 N. RIVER ST		SEGUIN	TX
ZIP CODE	78155		
YEAR	MAKE	MODEL/BODY	VIN
2027	FREIGHTLINER	114SD 12YD	IDENTICAL TO UNIT VK3715

**A DOCUMENTARY FEE IS NOT AN OFFICIAL FEE. A DOCUMENTARY FEE IS NOT REQUIRED BY LAW, BUT MAY BE CHARGED TO BUYER FOR HANDLING DOCUMENTS RELATING TO THE SALE. A DOCUMENTARY FEE MAY NOT EXCEED A REASONABLE AMOUNT AGREED TO BY THE PARTIES. THIS NOTICE IS REQUIRED BY LAW.**

**UN PAGO DOCUMENTAL NO ES UN CARGO OFICIAL. LA LEYNO EXIGUE SE IMPONGA UN CARGO DOCUMENTAL. PERO ESTE PODRIA COBRARSE A LOS COMPRADORES POR EL MANEJO DE LA DOCUMENTACION EN RELACION CON LE VENTA. UN CARGO DOCMENTAL NO PUEDE EXCEDER UNA CANIDAD PAZONABLE ACORDADA POR LAS PARTES. ESTA NOTIFICACION SE EXIGUE POR LA LEY.**

**DISCLAIMER OF WARRANTIES**

Purchaser acknowledges and agrees that Dealer did not manufacture and therefore makes no implied or express warranty with regard to the Purchased Unit(s) and any service work or make-ready work shall not create any warranty of any nature whatsoever with respect to the Purchased Unit(s). Additionally, Purchaser agrees to use the Purchased Unit(s) and/or chassis at Purchaser's own risk and hereby releases Dealer, its principals, officers, directors, shareholders, members, agents, employees, successors and assigns, from any and all claims for any damages or injuries of any nature whatsoever to the full extent permitted by law.

**MILEAGE:**FREIGHTLINER 114SD 12/14YD DUMP  
CUMMINS L9 330HP  
ALLISON AUTO TRANS

\$156,831.00

CALVIN RANCH14' SQUARE BED  
42" SIDES, 8" METAL SIDEBORDS  
10" DUMP APRON  
STANDARD SWING TAILGATE (NON-HIGH LIFT)  
ELECTRIC ARM TARP  
50-TON PINTLE HITCH  
BED-UP ALARM

8 AMBER/BLUE STROBES ON GRILLE &amp; TAILGATE

BUY BOARD CONTRACT 723-23

\$400.00

MILEAGE:	MAKE	MODEL/BODY	VIN
YEAR			
MILEAGE:	TRADE-IN		
YEAR	MAKE	MODEL/BODY	VIN

SUBTOTAL		\$157,231.00
SALES TAX		\$0.00
DEALER'S INVENTORY TAX		\$0.00
TITLE FEE		\$0.00
LICENSE FEE		\$0.00
DOCUMENTARY FEE		\$0.00
FEDERAL EXCISE TAX		\$0.00
TOTAL SALE PRICE		\$157,231.00
LESS TRADE		\$0.00
EXT. WARRANTY		\$0.00
LESS DEPOSIT		\$0.00
TOTAL BALANCE DUE		\$157,231.00

PAYOFF TO:	
ADDRESS:	FAX:
GOOD UNTIL:	
QUOTED BY:	
SHOW LIEN TO:	Body Type:
ADDRESS:	License Wt.:
	State Insp.:
DATED:	LIEN AMOUNT \$
DRAFT FOR \$	License:
DRAFT THRU:	Title:
ADDRESS:	Transfer:

\*\*The Dealer's Inventory Tax charge is intended to reimburse the dealer for ad valorem taxes on its motor vehicle inventory. The charge, which is paid by the Dealer to the county tax assessor-collector, is not a tax imposed on a consumer by the government, and is not required to be charged by the dealer to the consumer.

These Terms and Conditions shall govern the sale of motor vehicles ("Purchased Unit(s)") by Dealer to Purchaser. Dealer's performance and prices are expressly conditioned on these terms and conditions. This document shall be the final, complete, and exclusive agreement between the parties and may not be modified, amended, supplemented, explained, or waived by parol evidence, Purchaser's purchase order, a course of dealings, custom or trade usage, prior representations, Dealer's performance or delivery, Dealer's catalogs, circulars or other promotional material, or in any other way except in writing signed by Dealer's Authorized Representative. Dealer's Authorized Representative shall mean Dealer's Vice-President, General Counsel, Chief Financial Officer, or President.

2. Purchaser agrees to complete one of the following, and agrees that despite delivery of the Purchased Unit(s) to Purchaser, title to the Purchased Unit(s) shall remain with Dealer until Purchaser completes one of the following: (1) pay the balance due, as shown on this Order, in cash or (2) execute a Time Sales Agreement (Retail Installment Contract), or (3) execute a Loan Agreement for the purchase price of the Purchased Unit(s) plus additional charges shown herein, or (4) execute a lease agreement, on or before delivery of the Purchased Unit(s). Purchaser and Dealer agree that this Order is not a security agreement and that delivery of the Purchased Unit(s) to the Purchaser pursuant to this Order will not constitute possession of the Purchased Unit(s) by the Purchaser, as a debtor, for the purposes of the purchase money security provisions in any statutes relating to personal property security or its equivalent. Purchaser understands that its rights in connection with this purchase are limited as set forth in this Order.

3. Manufacturer has reserved the right to change the price to Dealer of new motor vehicles without notice. In the event the price to Dealer of new motor vehicles of the series and body type ordered hereunder is changed by Manufacturer prior to delivery of the Purchased Unit(s) ordered hereunder to Purchaser, Dealer reserves the right to change the cash delivered price (or any other pricing) of such motor vehicle to Purchaser accordingly. If such cash delivered price (or any other pricing) is increased by Dealer by five percent (5%) or more, Purchaser's sole remedy is to cancel this Order, in which event if a used motor vehicle has been traded in as a part of the consideration for such new Purchased Unit(s), such used motor vehicle shall be returned to Purchaser upon payment by Purchaser to Dealer of all storage and repair cost incurred or, if such used motor vehicle has been previously sold by Dealer, the amount received for such sale by Dealer, less a selling commission of 15% and any cost or expense incurred in storing, repairing, insuring, conditioning or advertising said used motor vehicle for sale, shall be returned to Purchaser. Purchaser waives all other claims for any damages resulting from a manufacturer's change in pricing and/or a related cancellation.

**BUYER'S SIGNATURE:****SELLER'S SIGNATURE:****DATE**

Calvis Ranch Dump Bodies LLC

16782 IH 35 South  
Atascosa, TX 78002 US  
(210) 992-4221  
Greg@calvisranch.com

Estimate

ADDRESS  
Dana Plumpe  
Doggett Freightliner Of South Texas (DP)  
1701 Smith Rd  
Austin, Tx 78721

ESTIMATE 0270  
DATE 10/23/2025

DATE	ACTIVITY	DESCRIPTION	QTY	RATE	AMOUNT
	15ft Square Dump Body	\$20,700.00 -14ft - 15ft Square Body -Installation, Subframe, Incab center control console -New cylinder, hydraulic tank, hoses and fluid -New PTO & Pump (price may change for Automatic) -LED lighting, Backup Alarm	1	20,700.00	20,700.00
	8" Channel Sideboards	\$1,200.00	1	1,224.00	1,224.00
	Electric Bulletproof Tarp System	\$2,300.00 Brand: US Tarp Bullet Proof System (aluminum)	1	2,300.00	2,300.00
	Big Plate Tow Package 50 ton	\$2500.00 -3/4 Steel Plate Complete Installation -2 D-Rings -Service and Emergency Glad Hands -7 way Electrical Connection -License Plate location and LED Light -3 LED DOT Regulated Running Lights	1	2,500.00	2,500.00

Payment method: Card, or Cashier Check. No personal checks accepted.	SUBTOTAL	26,724.00
*Cylinders, PTO and Pump come with a 30 Day guarantee upon the invoice date. Demolition Body Structure come with 6 month Guarantee	TAX	0.00
	TOTAL	\$26,724.00

Accepted By  
  
Accepted Date

## SPECIFICATION PROPOSAL

Data Code	Description
<b>Price Level</b>	
PRL-30D	SD PRL-30D (EFF:MY27 ORDERS)
<b>Data Version</b>	
DRL-011	SPECPRO21 DATA RELEASE VER 011
<b>Vehicle Configuration</b>	
001-177	114SD PLUS CONVENTIONAL CHASSIS
004-227	2027 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560
003-001	LH PRIMARY STEERING LOCATION
<b>General Service</b>	
AA1-003	TRUCK/TRAILER CONFIGURATION
AA6-002	DOMICILED, USA 50 STATES (EPA CLEAN IDLE LABEL OR NO CLEAN IDLE REQUIRED)
99D-027	EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)
A85-011	CONSTRUCTION SERVICE
A84-1GM	GOVERNMENT BUSINESS SEGMENT
AA4-010	DIRT/SAND/ROCK COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-1AD	FREIGHTLINER LEVEL I WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD 13000.0 lbs



Data Code	Description
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD 40000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY 53000.0 lbs
A70-99D	EXPECTED GROSS COMBINATION WEIGHT 80000.0 lbs
<b>Truck Service</b>	
AA3-004	END DUMP BODY
AF3-165	OX BODIES (TBEI)
<b>Tractor Service</b>	
AA2-005	FLATBED TRAILER
AH6-001	SINGLE (1) TRAILER
<b>Engine</b>	
101-3BP	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM
<b>Electronic Parameters</b>	
79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-007	PTO MODE ENGINE RPM LIMIT - 1100 RPM
79M-001	PTO ENGINE SPEED CONTROL DEACTIVATED BY SERVICE BRAKE LIGHTLY APPLIED (STATIONARY APPLICATIONS)
79P-004	PTO RPM WITH CRUISE SET SWITCH - 900 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
79W-024	CRUISE CONTROL BUTTON PTO CONTROL
80G-006	PTO MINIMUM RPM - 825
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
80S-003	PTO 1, DASH SWITCH, ENGAGE BEFORE DRIVING



Data Code	Description
80V-001	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, STATIONARY OPERATION
<b>Engine Equipment</b>	
99C-024	EPA 2010/GHG 2024 CONFIGURATION
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-236	(3) DTNA GENUINE, FLOODED STARTING, MIN 3000CCA, 555RC, THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
281-001	STANDARD BATTERY JUMPERS
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-058	NON-ESSENTIAL POSITIVE LOAD DISCONNECT, IN CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE



Data Code	Description
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER
239-026	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD(S)
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH
276-002	AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER
120-998	NO COOLANT FILTER
266-017	1300 SQUARE INCH ALUMINUM RADIATOR
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR



Data Code	Description
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH
<b>Transmission</b>	
342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
<b>Transmission Equipment</b>	
343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-002	ALLISON VOCATIONAL RATING FOR CONCRETE MIXER APPLICATIONS ONLY AVAILABLE WITH 3000 PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84K-002	2ND GEAR ENGINE BRAKE ALTERNATE PRESELECT WITH MODERATE DOWNSHIFT STRATEGY
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
84V-001	DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS
353-075	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH CAP
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR

Data Code	Description
362-2JT	CUSTOMER INSTALLED CHELSEA 281 SERIES PTO
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID

#### Front Axle and Equipment

400-1EA	DETROIT DA-F-13.0-3 13,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE
402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-001	CAST IRON OUTBOARD FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-050	TRW THP-60 POWER STEERING
539-003	POWER STEERING PUMP
534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR





Data Code	Description
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE

#### Front Suspension

620-1D8	13,300# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS

#### Rear Axle and Equipment

420-1K3	MERITOR MT-40-14X 40,000# R-SERIES TANDEM REAR AXLE
421-529	5.29 REAR AXLE RATIO
424-003	IRON REAR AXLE CARRIER WITH OPTIONAL HEAVY DUTY AXLE HOUSING
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
452-006	DRIVER CONTROLLED TRACTION DIFFERENTIAL - BOTH TANDEM REAR AXLES
878-023	(1) INTERAXLE LOCK VALVE, (1) DRIVER CONTROLLED DIFFERENTIAL LOCK FORWARD-REAR AND REAR-REAR AXLE VALVE
87A-017	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH, DISENGAGE INTERAXLE LOCK WITH IGNITION OFF
87B-025	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH, ENGAGE AT SPEEDS 5MPH OR LESS, DISENGAGE W/IGN OFF
423-033	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)
451-001	CAST IRON OUTBOARD REAR BRAKE DRUMS
425-002	REAR BRAKE DUST SHIELDS
440-006	REAR OIL SEALS

Data Code	Description
426-112	WABCO TRISTOP-D LONGSTROKE 30/36 2-DRIVE AXLE SPRING PARKING CHAMBERS
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE
42T-001	STANDARD REAR AXLE BREATHER(S)

#### Rear Suspension

622-297	TUFTRAC GEN2 40,000# REAR SPRING SUSPENSION
621-108	9.5 INCH NOMINAL RIDE HEIGHT (460MM GLOBAL REFERENCE HEIGHT)
431-003	AXLE CLAMPING GROUP
624-025	55 INCH AXLE SPACING
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS
439-001	REAR SHOCK ABSORBERS - ONE AXLE

#### Pusher / Tag Equipment

429-998	NO PUSHER/TAG BRAKE DUST SHIELDS
---------	----------------------------------

#### Brake System

490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
413-002	STD U.S. FRONT BRAKE VALVE
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER
479-015	AIR DRYER FRAME MOUNTED



Data Code	Description
460-001	STEEL AIR BRAKE RESERVOIRS
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS

#### Trailer Connections

476-998	NO AIR HOSE HANGER
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME

#### Wheelbase & Frame

545-447	4475MM (176 INCH) WHEELBASE
546-101	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-030	1600MM (63 INCH) REAR FRAME OVERHANG
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) 110.63 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) 107.63 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL 269.29 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE 31.85 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE 56.63 in
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE 0.0 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER



Data Code	Description
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER

#### Chassis Equipment

556-1E5	14 INCH PAINTED STEEL BUMPER
558-070	REMOVABLE FRONT TOW/RECOVERY DEVICE,STORED ON CHASSIS FRAME
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
585-998	NO MUDFLAP BRACKETS
590-998	NO REAR MUDFLAPS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE

#### Fifth Wheel

578-998	NO FIFTH WHEEL
---------	----------------

#### Fuel Tanks

204-152	70 GALLON/264 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-1H3	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE



Data Code	Description
<b>Tires</b>	
093-1AX	MICHELIN XZE2 11R22.5 16 PLY RADIAL FRONT TIRES
094-1RY	BRIDGESTONE M726ELA 295/75R22.5 14 PLY RADIAL REAR TIRES
<b>Hubs</b>	
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
<b>Wheels</b>	
502-545	MAXION WHEELS 90260 22.5X8.25 10-HUB PILOT 6.13 INSET 2-HAND HD STEEL DISC FRONT WHEELS
505-545	MAXION WHEELS 90260 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
<b>Cab Exterior</b>	
829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
650-008	AIR CAB MOUNTING
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-004	FRONT FENDERS SET-BACK AXLE
678-001	LH AND RH GRAB HANDLES
645-002	BRIGHT FINISH RADIATOR SHELL/HOOD BEZEL
646-042	STATIONARY BLACK GRILLE WITH BRIGHT ACCENTS
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE
644-004	FIBERGLASS HOOD
652-001	FREIGHTLINER NAME PLATES
690-998	NO NOISE SHIELD-ENG COMPARTMENT



Data Code	Description
727-1AM	DUAL 24 INCH ROUND POLISHED ALUMINUM AIR HORNS ROOF MOUNTED
726-001	SINGLE ELECTRIC HORN
728-002	DUAL HORN SHIELDS
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-067	HALOGEN COMPOSITE HEADLAMPS WITH BRIGHT BEZELS
302-047	LED AERODYNAMIC MARKER LIGHTS
311-998	NO DAYTIME RUNNING LIGHTS
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
677-054	RH AFTERTREATMENT SYSTEM CAB ACCESS WITH PLAIN DIAMOND PLATE COVER
768-043	63X14 INCH TINTED REAR WINDOW
661-004	TINTED DOOR GLASS LH AND RH WITH TINTED OPERATING WING WINDOWS
654-011	RH AND LH ELECTRIC POWERED WINDOWS
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED
647-001	WHITE WINTERFRONT



Data Code	Description
<b>Cab Interior</b>	
055-019	RUGGED TRIM PACKAGE
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)
706-013	MOLDED DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
785-034	ASH CUP AND (1)LIGHTER, (1)12V POWER OUTLET, (1)DASH MTD DUAL USB-C OUTLET
691-001	FORWARD ROOF MOUNTED CONSOLE
696-012	CENTER STORAGE CONSOLE MOUNTED ON BACKWALL
693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY
742-007	(2) CUP HOLDERS LH AND RH DASH
680-029	M2/SD DASH
720-003	5 LB. FIRE EXTINGUISHER
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
702-002	BINARY CONTROL, R-134A
739-033	STANDARD INSULATION



FREIGHTLINER OF AUSTIN

1701 SMITH ROAD  
AUSTIN, TX 78721  
Phone :512-389-0000

Data Code	Description
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM
324-1B3	STANDARD LED CAB LIGHTING
787-998	NO SECURITY DEVICE
657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME
78G-002	KEY QUANTITY OF 2
655-005	LH AND RH ELECTRIC DOOR LOCKS
740-998	NO MATTRESS
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
760-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION
759-005	DUAL DRIVER AND PASSENGER SEAT ARMRESTS
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS
758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER
761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER
763-101	BLACK SEAT BELTS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

#### Instruments & Controls

106-002	ELECTRONIC ACCELERATOR CONTROL
732-998	NO INSTRUMENT PANEL-DRIVER





Data Code	Description
734-022	FULLY CONFIGURABLE CENTER INSTRUMENT PANELS
87L-001	ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
721-001	97 DB BACKUP ALARM
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY
81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-072	ENGINE REMOTE INTERFACE WITH ONE OR MORE SET SPEEDS
48H-003	QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS
48C-003	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH CAP
163-014	ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER

Data Code	Description
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE
736-998	NO OBSTACLE DETECTION SYSTEM
72J-998	NO DR ASSIST SYSTEM
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL
73B-998	NO LANE DEPARTURE WARNING SYSTEM
679-024	LEFTHAND/CENTER/RIGHTHAND OVERHEAD INSTRUMENT PANEL BLANK
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)
746-143	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
749-998	NO CB RADIO MOUNTING PROVISION
75W-998	NO MULTIBAND ANTENNA
78C-004	INTEROPERABLE SDAR ANTENNA, SHIP LOOSE
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-1C8	DETROIT CONNECT PLATFORM HARDWARE
8D1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES
6TS-005	TMC RP1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL



Data Code	Description
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
329-127	TWO EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB, BLUNTCUT
4C1-026	HARDWIRE SWITCH #1, ON/OFF LATCHING, 10 AMPS BATTERY POWER
4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER
81Y-005	PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY
264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN
482-001	STANDARD TRACTOR PROTECTION VALVE
883-001	TRAILER HAND CONTROL BRAKE VALVE
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT
298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY
87T-998	NO WRG/SW-OPTL #2, CHAS, AIR

#### Design

065-000 PAINT: ONE SOLID COLOR

#### Color

980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY

986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT

962-972 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

966-972 POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)



Data Code	Description
964-020	STANDARD BLACK BUMPER PAINT
963-003	STANDARD E COAT/UNDERCOATING

#### Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

#### Other Factory Charges

PMV-024	GHG24 SURCHARGE - CUMMINS
RD1-313	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE ON (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT ON CUMMINS ENGINES
RD3-998	NO SAFETY EVENT VIEWER
RAG-020	CUMMINS TARIFF CHARGE - \$205
PAT-025	STEEL, ALUMINUM, AND CHINA TARIFF IMPACT FEE 108/114 SD AND M2 106/112
R27-001	MY27 ESCALATOR
P73-2FT	STANDARD DESTINATION CHARGE

(+) Weights Shown are estimates only.  
If weight is critical, contact Customer Application Engineering.

