



DATE: November 4, 2019

QUOTE #:246123-01

**CITY OF SEGUIN**

Tim Howe

**Barry Hevner**

210.213.2776

PO BOX 591  
SEGUIN, TEXAS 78156-0591

**One (1) New Caterpillar Inc Model: 910M CAB Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:**

**STOCK NUMBER: HLK037312      SERIAL NUMBER: 0H2201348      YEAR: 2019      HOURS: 3**

LIST PRICE	\$160,889.00
<b>TOTAL PRICE</b>	<b>\$114,845.00</b>
<hr/>	
<b>SUB TOTAL</b>	<b>\$114,845.00</b>
<b>TOTAL PURCHASE PRICE/ SOURCEWELL PRICING @ 23% OF LIST CONTRACT # 03219 CAT</b>	<b>\$114,845.00</b>

**WARRANTY**

Standard Warranty:

910-12 MO/8760 HR PREMIER (Tier 4)

**NOTES**

DELIVERY \$494.00 PREP \$1,647.00
--------------------------------------

DATE: October 15, 2019 QUOTE #:Quote 246123-01

**MACHINE SPECIFICATIONS**

**STOCK NUMBER: HLK037312      SERIAL NUMBER: 0H2201348      YEAR: 2019      HOURS: 3**

DESCRIPTION	REF.#	PRICE
-------------	-------	-------

DESCRIPTION	REF.#	PRICE
910M WHEEL LOADER	457-1484	\$116,820.00
ENGINE, C4.4, T4F, HRC	462-7420	\$0.00
POWERTRAIN, HI RIMPULL, 24MPH	462-7124	\$4,500.00
VALVE, DRAIN, ECO	308-0189	\$155.00
LOADER ARR, STD CPLR, STD LIFT	462-7432	\$2,050.00
HYDRAULICS, 3V/1L, STD LIFT	470-6213	\$3,170.00
3V QUICK DISCONNECT SCREW FIT	486-3774	\$302.00
BATTERY, STANDARD	462-7342	\$0.00
LIGHTS, ROADING, RH DIP	423-5544	\$745.00
STEERING, STANDARD	462-6950	\$0.00
CAB, DELUXE, SINGLE BRAKE	463-2090	\$7,580.00
MIRROR, REAR VIEW	504-4834	\$0.00
FEATURE PACKAGE, ROAD & LOAD	471-6763	\$3,660.00
HEATER AND AIR CONDITIONER	462-7111	\$4,175.00
SECURITY SYSTEM, NONE	433-3258	\$0.00
TIRES, 15.5 R25, MX, L2 XTLA	430-2654	\$880.00
FENDERS, EXTENDED COVER	469-5852	\$418.00
ENGINE COOLANT, STANDARD	450-5406	\$208.00
HYDRAULIC OIL, STANDARD	450-5405	\$1,135.00
SERIALIZED TECHNICAL MEDIA KIT	421-8926	\$0.00
HEATER, ENGINE COOLANT, 120V	474-1982	\$198.00
LIGHTS, CAB, WORKING HALOGEN	448-9539	\$600.00
WORKTOOL, WIRING	471-6212	\$360.00
PRODUCT LINK, CELLULAR, PL641	509-6603	\$833.00
BLIND, REAR	279-0643	\$305.00
PACK - BUCKET GROUP (WHL)	0G-3281	\$123.00
ALARM, BACK-UP	474-1980	\$197.00
SEAT, DELUXE	539-7204	\$775.00
SEAT BELT, RETRACTABLE 2"	550-9815	\$0.00
FUEL, STANDARD	524-5098	\$0.00
RADIO, AM/FM BLUETOOTH	541-4413	\$550.00
BUCKET - H221348BU	472-6539	\$5,924.00
FORKS - H221348FO	390-8288	\$2,386.00
FORK TINES, 2" X 5" X 48" - H221348FO	6W-8900	\$1,436.00

## STANDARD EQUIPMENT

---

**POWERTRAIN** -Cat C4.4 ACERT Engine --Common rail fuel injection --U.S. EPA Tier 4 Final/ EU Stage IV -Caterpillar NOx Reduction System -Fuel: Ultra Low Sulphur Diesel @ <15ppm -Engine Oil: CJ-4 -Electric fuel pump with 4 micron -filtration -S.O.S port, transmission oil -Hydrostatic transmission -20 km/h (12.5mp/h) -Lube for life universal joints -Forward - Neutral - Reverse on joystick -100% locking differentials, whilst -moving -Air cleaner, radial seal, dual filters -Cooling fan, hydraulic -Intergrated Cyclone pre-cleaner

**HYDRAULICS** -Two valve, single lever joystick -Diagnostic pressure taps -SOS port, hydraulic oil -Hydraulically driven cooling fan -Variable displacement piston pump, hystat -and implement.

**ELECTRICAL** -150 Amp alternator -item is optional for other countries -One 850 CCA maintenance free battery -Roading lights -12 volt direct electric starting -Battery disconnect switch

**OPERATOR ENVIRONMENT** -ROPS/FOPS cab, pressurised and sound -suppressed -Hydraulic control lever lockout -Electrohydraulic implement controls -Gauges -- Engine coolant temperature -- Hydraulic oil temperature -- Fuel level -- Speedometer -- Digital Hour meter -- DEF -Operator warning system indicators: -- Brake charge pressure low -- Engine malfunction -- Park brake applied -- Electrical system voltage flow -- Hydraulic oil filter bypass -- Action indicator -Seat -- Fabric or Vinyl -- adjustable height, backrest, armrest -- Seat belt, retractable -Heater/defroster -Wiper/washer (front & rear) -Tinted front glass,laminated -Adjustable steering column -Rear window defrost -Lockable Storage box with cup holder -Internal 12V power source -External 12V power source

**FLUIDS** -Extended life coolant antifreeze -Protected to -36C (-33F) hydraulic oil -Cat Advanced Hydo 10 -

**OTHER STANDARD EQUIPMENT** -Parallel lift, Optimised Z-Bar loader -Fenders, front and rear -Engine enclosure - lockable -Recovery hitch -Vandalism protection - locked service -points -REGIONAL STANDARDS(as required) -Chocks -bucket tooth or edge guard -Decals, roading speed -Reflectors, roading -Camara, rear view -Beacon -