



DATE: November 4, 2019

QUOTE #:246472-01

CITY OF SEGUIN  
TIM HOWE

Barry Hevner  
210.213.2776

PO BOX 591  
SEGUIN, TEXAS 78156-0591

One (1) New Caterpillar Inc Model: 259D Compact Construction Equipment with all standard equipment in addition to the additional specifications listed below:

STOCK NUMBER: HLK040396      SERIAL NUMBER: 0CW901887      YEAR: 2019      HOURS: 1

LIST PRICE	\$65,580.00
<b>TOTAL PRICE</b>	<b>\$49,134.00</b>
<hr/>	
<b>SUB TOTAL</b>	<b>\$49,134.00</b>
<b>TOTAL PURCHASE PRICE/ SOURCEWELL PRICING @ 21% OF LIST, CONTRACT # 032119 CAT</b>	<b>\$49,134.00</b>

**WARRANTY**

Standard Warranty:      24 Month/2000 Hour Total Machine Limited Warranty

**NOTES**

80" BUCKET \$1,499.00  
DELIVERY \$500.00

DATE: October 16, 2019 QUOTE #:Quote 246472-01

**MACHINE SPECIFICATIONS**

STOCK NUMBER: HLK040396      SERIAL NUMBER: 0CW901887      YEAR: 2019      HOURS: 1

DESCRIPTION	REF.#	PRICE
259D3 COMPACT TRACK LOADER	512-4259	\$60,680.00
CANOPY PACKAGE, PRO PLUS	577-2294	\$3,875.00

DESCRIPTION	REF.#	PRICE
HYDRAULICS, PERFORMANCE, (H2)	512-4324	\$0.00
CONTROL, ISO, PROP	512-4111	\$0.00
RIDE CONTROL, NONE	512-3483	\$0.00
BATTERY,HD,DISCONNECT, 850 CCA	560-7824	\$0.00
LIGHTS, HALOGEN	495-1672	\$0.00
ROPS, OPEN (C1)	512-4343	\$0.00
DISPLAY, ADVANCED, LCD, CAMERA	416-9265	\$0.00
FAN, COOLING, DEMAND	486-6956	\$0.00
QUICK COUPLER, MANUAL	388-8298	\$0.00
SEAT,AIR SUSPENSION,VINYL,HEAT	536-9739	\$0.00
FILM, TWO SPEED	568-4700	\$0.00
RUBBER BELT, 2 SPD, TF IDLERS	357-0240	\$1,025.00
TRACK,RUBBER,320MM(12.6IN)BLCK	343-4599	\$0.00
REAR LIGHTS	356-6082	\$0.00
SEAT BELT, 2"	542-6994	\$0.00
PRODUCT LINK, CELLULAR PL240	441-4818	\$0.00
CERTIFICATION ARR, P65	563-1163	\$0.00
SERIALIZED TECHNICAL MEDIA KIT	421-8926	\$0.00
80" GP BUCKET WITH BOLT ON EDGE	279-5377	

## STANDARD EQUIPMENT

---

**POWERTRAIN** -Cat C3.3B diesel engine --Gross horsepower per SAE J1349 -74.3 hp (55.4 kW) @ 2400 RPM --Electric fuel priming pump --Glow plugs starting aid --Liquid cooled, direct injection -Air cleaner, dual element, radial seal -S-O-S sampling valve, hydraulic oil -Filter, cartridge type, hydraulic -Filters, canister type, fuel -and water separator -Radiator / hydraulic oil -cooler (side-by-side) -Spring applied, hydraulically released, -parking brakes -Hydrostatic transmission

**UNDERCARRIAGE** -Suspension - independent torsion axle(4) -Two speed motor

**HYDRAULICS** -ISO or H pattern controls: -Electro/hydraulic implement control -Electro/hydraulic hydrostatic -transmission control -Speed sensor guarding -

**ELECTRICAL** -12 volt electrical system -80 ampere alternator -Ignition key start / stop / aux switch -Lights: --Gauge backlighting --Two rear tail lights --Dome light -Backup alarm -Electrical outlet, beacon -

**OPERATOR ENVIRONMENT** -Operator warning system indicators: --Air filter restriction --Alternator output --Armrest raised / operator out of seat --Engine coolant temperature --Engine oil pressure --Glow plug activation --Hydraulic filter restriction --Hydraulic oil temperature --Park brake engages --Engine emission system -Gauges: fuel level and hour meter -Storage compartment with netting -Ergonomic contoured armrest -Control interlock dystem, when operator -leaves seat or armrest raised: --Hydraulic system disables --Hydrostatic transmission disables --Parking brake engages -ROPS cab, open, tilt up -Anti-theft security system w/6-button -keypad -FOPS, Level I -Top and rear windows -Floormat -Interior rear view mirror -USB charging port -Horn -Hand (dial) throttle, electronic -

**FRAMES** -Lift linkage, vertical path -Chassis, one piece welded -Machine tie down points (6) -Belly pan cleanout -Support, lift arm -Rear bumper, welded

**OTHER STANDARD EQUIPMENT** -Engine enclosure - lockable -Extended life antifreeze (-37C, -34F) -Work tool coupler -Hydraulic oil level sight gauge -Radiator coolant level sight gauge -Radiator expansion bottle -Cat ToughGuard TM hose -Heavy duty flat faced quick disconnects -with integrated pressure release -Split D-ring to route work tool hoses -along side of left lift arm -Hydraulic demand cooling fan -Per SAE J818-2007 and EN 474-3:2006 and -ISO 14397-1:2007