



DATE: November 4, 2019
QUOTE #:246778-01

CITY OF SEGUIN
TIM HOWE

Barry Hevner
210.213.2776

PO BOX 591
SEGUIN, TEXAS 78156-0591

One (1) New Caterpillar Inc Model: 420F2 HRC Backhoe Loaders with all standard equipment in addition to the additional specifications listed below:

LIST PRICE	\$141,063.00
TOTAL PRICE	\$101,991.00
<hr/>	
SUB TOTAL	\$101,991.00
TOTAL PURCHASE PRICE/ SOURCEWELL PRICING @22% OF LIST CONTRACT #03219 CAT	\$101,991.00

WARRANTY

Standard Warranty: 12 Month/Unlimited Hours Total Machine

NOTES

DELIVERY @ \$658.00 PREP @1,316.00

DATE: October 22, 2019QUOTE #:Quote 246778-01

MACHINE SPECIFICATIONS

DESCRIPTION	REF.#	PRICE
420F2 BHL ST, TIER 4, HRC	450-8448	\$87,880.00

DESCRIPTION	REF.#	PRICE
LANE 2 - AVAILABLE FROM LEICESTER FACTORY		
LANE 3 - AVAILABLE FROM LEICESTER FACTORY		
ONLY FOR USE WITH: AM-N and PUERTO RICO		
SERIALIZED TECHNICAL MEDIA KIT	421-8926	\$0.00
SHIPPING/STORAGE PROTECTION	461-6839	\$203.00
RUST PREVENTATIVE APPLICATOR	462-1033	\$108.00
PACK, DOMESTIC TRUCK	0P-0210	\$0.00
GUARD, STABILIZER	353-1389	\$835.00
PLATE GROUP - BOOM WEAR	423-7607	\$216.00
LANE 3 ORDER	0P-9003	\$0.00
STICK, EXTENDABLE, 14FT	450-8730	\$4,825.00
POWERTRAIN, 4WD, POWERSHIFT	547-6095	\$9,600.00
ENGINE, 74.5KW,C4.4 ACERT, T4F	450-8757	\$7,070.00
HYDRAULICS, GP, 6FCN/8BNK, ST	450-8527	\$1,465.00
CAB, DELUXE	450-8683	\$8,390.00
WORKLIGHTS (8) HALOGEN LAMPS	491-6734	\$0.00
SEAT, DELUXE FABRIC	433-4806	\$925.00
BELT, SEAT, 2" SUSPENSION	206-1747	\$0.00
AIR CONDITIONER, T4	450-8715	\$2,400.00
PRODUCT LINK, CELLULAR PL641	581-1781	\$0.00
TIRES, 12.5 80/19.5L-24, GY	379-2161	\$1,690.00
COUNTERWEIGHT, 1015 LBS	337-9696	\$1,765.00
STABILIZER PADS, FLIP-OVER	9R-6007	\$336.00
BUCKET-GP, 1.5 YD3, PO	337-7401	\$4,142.00
CUTTING EDGE, TWO PIECE,WIDE	9R-5320	\$329.00
COUPLER, PIN LOCK, BL F	544-1901	\$1,528.00
INSTRUCTIONS, ANSI	430-9944	\$0.00
RIDE CONTROL	398-2681	\$1,490.00
COUPLING,QD,THREADED WITH CAPS	456-3390	\$371.00
LINES, COMBINED AUX, E-STICK	398-2853	\$3,500.00
RADIO, FM BLUETOOTH	540-2298	\$550.00
BATTERY, HEAVY DUTY	457-2797	\$227.00
MIRRORS, EXTERNAL, BOTH SIDES	382-2499	\$725.00
KIT, SECURITY KEYPAD	482-1308	\$493.00
18" HEAVY DUTY CAT BUCKET QUICK COUPLER	247-1949	\$1,298.00
24 HEAVY DUTY QUICK COUPLER BUCKET	247-1950	\$1,429.00

STANDARD EQUIPMENT

CONSIST NOTE -THIS LISTING IS A GENERAL DESCRIPTION -OF A 420F2 BACKHOE LOADER EQUIPPED WITH -THE LOWEST CHARGE ITEMS. -

BOOMS, STICKS AND LINKAGES -14'4" Center pivot excavator style -backhoe -Pilot operated joystick hydraulic -controls with pattern changer valve -Pilot operated stabilizer controls -Boom transport lock -Swing transport lock -Street pads stabilizer shoes -Anti-drift hydraulics -

POWERTRAIN -Drive-line parking brake -High Ambient Cooling Package -Torque converter -Transmission--four speed synchro mesh -with power shuttle & neutral safety -switch -Spin-on fuel, engine oil & transmission -oil filters -Outboard planetary rear axles -Open Circuit Breather

HYDRAULICS -Load sensing, variable flow system -with 43 gpm axial piston pump -6 micron hydraulic filter -O-ring face seal hydraulic fittings -Caterpillar XT-3 hose -Hydraulic oil cooler -Pilot control shutoff switch -PPPC, Flow-sharing hydraulic valves -Hydraulic suction strainer -

ELECTRICAL -12 volt electrical start -150 ampere alternator -Horn and Backup Alarm -Hazard flashers/turn signals -Halogen head lights (4) -Halogen rear flood lights (4) -Stop and tail lights -Audible system fault alarm -Key start/stop system -880 CCA maintenance free battery -Battery disconnect switch -External/internal power receptacles(12v) -Diagnostic ports for engine and machine -Electronic Control Modules

POWERTRAIN -Differential lock -disk brake with dual pedals & interlock -Hydraulically boosted multi-plate wet -indicator -ejection system & filter condition -integral precleaner, automatic dust -A dry-type axial seal air cleaner with -Eco mode -Thermal starting aid system -Water separator with service indicator -with Selective Catalytic Reduction(SCR) -US EPA Tier4 Final Emissions Compliant -with ACERT technology. -Direct Injection Turbo Charged Engine, -Cat C4.4, 74.5KW (Net 93HP / 69kW) -

BOOMS, STICKS AND LINKAGES -Single Tilt Loader -Transmission neutralizer switch -control -Self-leveling loader with single lever -Return-to-dig (auto bucket positioner) -Lift cylinder brace -Bucket level indicator -Cat Cushion Swing(tm) system -(Boom, Stick and E-Stick) -

ELECTRICAL -Remote jump start connector -

OPERATOR ENVIRONMENT -Lighted gauge group -Interior rearview mirror -Rear fenders -ROPS canopy -2-inch retractable seat belt -Tilt steering column -Steering knob -Hand and foot throttle -Automatic Engine Speed Control -One Touch Low Idle -Floor mat and Coat Strap -Lockable storage area -Air suspension seat -

OTHER STANDARD EQUIPMENT -Hydrostatic power steering -Standard Storage Box -Transport tie-downs -Ground line fill fuel tank with 44 -gallon capacity -Ground line fill diesel exhaust fluid -tank with 5 gallon capacity -Rubber impact strips on radiator guards -Bumper -CD-ROM Parts Manual -Backhoe Safety Manual -Operations and Maintenance Manual -Lockable hood -Tire Valve Stem Protection -Long Life Coolant -30C (-20F) -Padlocks (2 on ST, 3 on IT)