



City of Seguin
205 N. River
Seguin, TX 78155

July 30, 2025
Quote730SegMD

REF: Mechanic Crew Truck

1 2026 F750 Ford CC 4X2 Diesel W/Service Body	\$291,520.00
HGAC Contract HT06-20	\$ 1,000.00

Option Extended Warranty	
Premium Care 8 Years or 150,000 Miles	Add \$ 5,640.00

FOB: Deliver to Customer
Terms: Net 30 Days
Delivery :Aprox. 180 to 240 Days ARO

Sincerely

A handwritten signature in black ink, appearing to read "Rocky Shoffstall".

Rocky Shoffstall
Fleet Sales Manager

www.cobalttruck.com



QUOTATION

Quote Number: JS02965-1

Page 1 of 9

CUSTOMER: Cavender-Grande Ford Truck Center

CONTACT: Rocky Shoffstall

ADDRESS: Po Box 201210
San Antonio TX 78220

PHONE: (210) 661-4121

FAX/Email: Ref. City of Seguin /Wilcox Line Body

Quote Number: JS02965-1

Quote Rev: 1

Quote Date: 7/29/2025

Quote valid until: 8/12/2025

Salesperson: ralvarez

Quote Prepared By: Jsassman

Make: FORD	Model: F-750	Year: 2026	GVWR: 33000	Single/Dual:
CA / CT: 84.0 /	Fuel Type: DIESEL	4X2 / 4X4: 4X2	Trans: AUTOMATIC	Cab Type: CREW CAB

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
1	<p>Aluminum Service Body, as per customer specifications (listed below):</p> <ul style="list-style-type: none">- 134 inches long x 48 inches high x 94 inches wide- Designed for 84 inches with dual rear wheel axle.- (Sizes to be confirmed with layout drawing for approval prior to build) <p>Body Dimensions:</p> <ul style="list-style-type: none">- 48 Inches - Compartment height- 20 Inches - Compartment depth- 54 Inches - Load space width <p>Body Materials:</p> <ul style="list-style-type: none">- .125 Aluminum -complete body for extra strength- .125 Aluminum Smooth - Compartment tops <p>Body Floor and Understructure:</p> <ul style="list-style-type: none">- .Plank flooring 1 1/8 thick aluminum- Floor- 3" Sills, 3" crossmembers <p>Accessories:</p> <ul style="list-style-type: none">- Eberhard Whale Tail compression T-Handle door latches- All locks to be keyed alike- Gas Cylinder door holders on all vertically hinged doors (barn type horizontal)- Rubber rolled crown type fenders. (Installed with wheel cut-outs)- Automotive bulb type weather-stripping mechanically fastened to door frame with rounded corners.- Standard rope light (3/8" LED, 1" on center) compartment lights in all body compartments. (Not in top boxes)- Lights to have door switches. On when open, Off when closed- Rotary Master door locking system <p>Paint:</p> <ul style="list-style-type: none">- Polyurethane white, interior & exterior of body and accessories.- Black chassis paint- protective undercoating		

345 W. Karcher Road
Nampa, ID 83687
Phone: 800-733-0342
Fax: 208-887-7734

1607 Industrial Road
Las Vegas, NV 89102
Phone: 888-258-9812
Fax: 702-385-9936

4691 FM 1516 N.
Converse, TX 78109
Phone: 855-587-7788
Fax: 210-301-2037

4620 E. Trent Avenue
Spokane, WA 99212
Phone: 800-572-4369
Fax: 509-535-4294

2800 Golden Triangle Blvd
Fort Worth, TX 76177
Phone: 682-990-6780
Fax: 208-887-7794



QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
	<p>Streetside Compartmentation:</p> <p>1st Vertical, 32" Wide x 48" High x 20" Deep - Top shelf with drawer unit</p> <p>2nd Vertical, 24" Wide x 40" High x 20" Deep - Top shelf with drawer unit</p> <p>Horizontal Compartment, 50" Wide x 24" High x 20" Deep - 3 Point Eberhard Whale Tail compression T-Handle door latches with roller rods. - Automotive rotary catch & striker with pull handle on inside door. Streetside pull handle is Right Hand - Two (2) adjustable shelves each with divider slots on 3" centers installed on slotted channels each shelf will have Ten (10) adjustable dividers.</p> <p>Rear Vertical, 26" Wide x 48" High x 20" Deep - Two (2) adjustable shelves each with divider slots on 3" centers installed on slotted channels each shelf will have four (4) adjustable dividers.</p> <p>Curbside Compartmentation:</p> <p>1st Vertical, 32" Wide x 48" High x 20" Deep - Top shelf with drawer unit</p> <p>2nd Vertical, 24" Wide x 40" High x 20" Deep - Two (2) adjustable shelves each with divider slots on 3" centers installed on slotted channels each shelf will have four (4) adjustable dividers.</p> <p>Horizontal Compartment, 50" Wide x 24" High x 20" Deep - 3 Point Eberhard Whale Tail compression T-Handle door latches with roller rods. - Automotive rotary catch & striker with pull handle on inside door. Curbside pull handle is Left Hand - Two (2) adjustable shelves each with divider slots on 3" centers installed on slotted channels each shelf will have Ten (10) adjustable dividers.</p> <p>Rear Vertical, 26" Wide x 48" High x 20" Deep - Two (2) adjustable shelves each with divider slots on 3" centers installed on slotted channels shelf will have four (4) adjustable dividers.</p> <p>Tail shelf Rear Lighting: - 94" Wide 7-Lamp steel light bar installed at rear of tail shelf - Rubber mounted recessed rear lighting kit with harness - Stop/tail/turn lights, back up -LED</p> <p>Tail shelf: - 12 Ga. Hot rolled treadplate tail shelf 26 inches long X 94 inches wide x 6 inches high. 6 Inch structural steel channel full frame.</p>		



QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
	<ul style="list-style-type: none"> - Through tunnel with dropdown access doors on both sides. - Full side and rear skirts to bottom of body - 12 gauge galvalume Smooth - 3/4" crane reinforcement plate to be added to the top of the tail shelf on the StreetSide corner with the appropriate frame structure tied to the frame. - 3/4" crane reinforcement plate to be added to the top of the tail shelf on the StreetSide corner with the appropriate - Pull out 3 rung ladder step installed under curbside of tail shelf. <p>Streetside and Curbside Tail Shelf Bulkheads:</p> <ul style="list-style-type: none"> - 14" tall x 26" wide heavy-duty steel side bulkheads - constructed of 2" square steel tubing with panels of 12 gauge steel <p>Tailgate:</p> <ul style="list-style-type: none"> - Hinged tailgate 14" high X 73 1/8" wide heavy duty, swing down with latches. <p>Removable Pipe Vise Holder:</p> <ul style="list-style-type: none"> - Constructed from 2" reinforced tubing mounted to the curbside rear tail shelf with a lockable vise stand mount. <p>Ladder Storage:</p> <ul style="list-style-type: none"> - Ladder box with rear roller and lift up door with hasp latch. - Ladder box to accommodate a 10" ladder - No Exceptions, (Customer to provide dimensions) - Box designed for Uni-Strut mounting <p>Curbside Top Mounted Basket:</p> <ul style="list-style-type: none"> - 132" long X 13" high X 20" wide aluminum basket with corners notched for drainage. - One (1) lift up lid, 1/8" aluminum, opening to the cargo area - Two (2) Overcenter pad lockable - Gas assist door openers. - To be mounted on top of the ladder storage box - Speed liner on box assembly <p>StreetSide Top Mounted Basket: (Bolt-On / Installed)</p> <p>132" long X 22" high X 20" wide aluminum basket with corners notched for drainage.</p> <p>One (1) lift up lid, 1/8" aluminum, opening to the cargo area</p> <ul style="list-style-type: none"> - Two (2) Overcenter pad lockable latch. Part Number 30763 - Gas assist door openers. - To be mounted on top of the StreetSide compartment tops - Basket designed for Uni-Strut mounting - Basket and Uni-strut are both installed - Speed liner on box assembly <p>Punched Aluminum Headache Rack:</p> <ul style="list-style-type: none"> - 53" wide x 31" High .125 aluminum Punched with a 1 1/2" x 1 1/2" angle frame cut at taper <p>Grab Handles:</p>		



QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
	<ul style="list-style-type: none"> - One (1) Rail type grab handle for installing on top of tail shelf to the rear of the body, curbside - One (1) Bolt-On Chrome grab handle for the side access of the body <p>Hot Stick PVC Tube:</p> <ul style="list-style-type: none"> - Aluminum Blaylock fixed cap on one end and drop down lockable door on other end. - 6 Inch x 120 Inches long tube mounted on the StreetSide load bed area against the wall - Mounted with U-Bolts and saddles at an angle with a drain hole in the bottom cap <p>Cooler Shelf:</p> <ul style="list-style-type: none"> - 30"L x 22"W shelf to mount atop of the Headache Rack - 3/16" Aluminum shelf top - 1/8" Aluminum gussets 		
1	<p>Install DRW line body as follows:</p> <ul style="list-style-type: none"> - LED lights, Mud flaps & body mounting kit 		
1	<p>Connect body rope lighting to chassis system.</p> <ul style="list-style-type: none"> - Rope lights and door switches in the body from manufacture - Pigtails will be supplied at the rear of the body, to hook into upfitter switches 		
1	<p>Samlex 2000 watt inverter installed as follows:</p> <ul style="list-style-type: none"> - Mounted in RV1 compartment wall - 2000 watt output power - Pure sine wave output - Temperature controlled cooling fan 		
1	<p>Electrical power strip installed:</p> <ul style="list-style-type: none"> - (5) 110v plugs - Built in surge protection - Installed next to inverter against the compartment wall 		
1	<p>Laptop computer stand (750) with adjustable mounting bracket</p> <ul style="list-style-type: none"> - Mounted on passenger side floor - Adjustable telescoping stand - Rotating swivel arms to allow positioning for use in driver or passenger seat - Universal laptop mounting platform - 360 degree swivel - 85 degree tilt 		
1	<p>7- and 4-Pole trailer connector socket w/ mounting bracket (# HM40975)</p> <ul style="list-style-type: none"> - Mounted at the rear of the body / bumper assembly 		
1	<p>Igloo 5 gallon water cooler with mounting bracket installed as follows:</p> <ul style="list-style-type: none"> - Portable Plastic Water Cooler - 14" diameter x 20-1/2" high - Yellow with red lid, includes lid-keeper cord 		



QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
1	- Storage rack with webbed strap with buckle Jerry gas can and holder, as per the following: - Holds 5 gallon steel Jerry can - Full metal construction for rugged use and abuse - Mounted in load bed area (curbside wall)		
1	Coneholder(s) installed on the front bumper with mounting bracket - (Qty. 2), One (1) each side of bumper		
1	Installation of 6" PVC pipe mounted on streetside of body area, - Mounted with U-bolts & saddles		
1	Storage box mounted in bed space of line body (next to bulkhead) - Trinity model 45 Job Site Tool Box (bolted to body floor) - Made from heavily reinforced steel with a matte rust-resistant powder coated finish - Top opening lid with (2) gas mounted lifts for easy open and close - 45" long (Interior box dimensions 41.5"W x 23.5"D x 18.5"H) - Forklift accessible with mounting feet at each corner		
1	Slide away retractable step system, Safety Fleet part # DB0202, - Mounted on rear tailshelf assembly, curbside - Welded steel construction - No rust, galvanized finish Red		
1	Install rear pipe vise holder, mounted under tailshelf assembly - Vise Mount (12"x 10"x 1/4" HR plate welded to a 18"L 2"x 2"x 1" square tube) - Painted white		
1	Reflective barricade tape: - Tailgate striping DOT pattern, mounted at the rear of the body		
2	(2) 110v GFI electric outlet mounted on right (CS) front of body & right (CS) rear of body wired to inverter with weatherproof cover		
1	Liftmoore 12V D. C. Powdered Electric Crane model L-21-7 VH ATB, installed as per the following: Specifications: - 6,000 Ft.-Lbs. Moment Rating - Maximum Capacity 2,000 Lbs. at 3 Ft. Load radius - Planetary Gear Winch with Permanent Magnet Motor - On / Off 12 Volt Electric - Remote Pendant Control 12.5 Ft. (removable) - Galvanized Aircraft Cable 3/16" x 25 Ft. (4,200 Lbs. Breaking Strength) - Travel Block w/swivel hook, For easy two part line hook up - Manual Rotation 360 Degree - Tapered Roller Bearings for ease of movement with a Manual Band Brake to control swing - Boom Elevation - Manual at two positions, 20 and 45 Degrees stows vertically for travel - Boom Extension - Manual from 3 Ft. to 5 Ft., optional to 7 Ft.		



QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
1	- Anti-Two Block System, Needed when used in construction as per 1926.1441(d)(2) & 1926.1416(d)(3) - Mounting plate is 12" square with a 9.5" square bolt pattern		
1	Dedicated crane battery installed as follows: - Optima Group 31 battery - Battery storage box mounted in RR compartment		
1	Vanair Manufacturing Inc. Model GF66C2 GENAIR - 125CFM 100 PSI + 6.6kW Underdeck Systems installed complete as per the following: - V-Tec II Display, Controller and wiring harness - 125 cfm @ 100 PSI @ 1527 engine rpm / 1940 PTO shaft RPM - 160 CFM @ 100 PSIG @ 1920 engine rpm / 2435 PTO shaft RPM - This will have 6.6KW 120 Volt AC Power - PTO Muncie FR6Q-F1209-63B6 (1.27%) w/V-TEC & drive line - (Qty.2) Hose Reels model 8300 with OLP 3/4" x 50' hose, stops & couplings - (Qty. 2) Fuse, Velocity 3/4" check vales SCVH6 180-200 cfm		
1	Install Federal Signal SPIRE 220TP-AB LED beacon light (clear), as follows: - Weld mounting plate to top middle of cabguard / fan mounting brackets - Install LED beacon light on mounting plate and wire to chassis upfitter switch		
1	Anti-sail mud flaps, mounted behind rear wheels		
2	(Qty.4) Work lights mounted on the LH& RH side of the body - 40W LED Flood lights (Qty. 2) per side (front & rear) - Connected to chassis upfitter switches		
1	(Qty.8) Federal Signal Multi-strobe system installed: - FR7C2-BA strobe lights installed (blue/amber) - (2) Installed in the front (2) rear, (1) per side and (2) rear top boxes		
1	(1) 12v LED flood light installed on cab protector (cargo work light) - 40W LED Flood lights - Connected to chassis upfitter switches		
1	Ecco K7000B backup camera system installed as follows: - 7" LCD touch screen monitor with sunshade - Built-in speaker - 18 LED infrared camera		
1	Heavy duty rear buckplate installed as follows: - 3/4" steel rear face plate - 5/8" steel formed side gussets - Pintle hitch assembly, 30 ton - Receiver tube for pintle hook - 7-way trailer socket - Glad hands with dummy couplers - Safety chain loops		
1	Electronic brake controller installed and wired to trailer socket		



QUOTATION

www.cobalttruck.com

Quote Number: JS02965-1

Page 7 of 9

QUANTITY	DESCRIPTION	PRICE EACH	AMOUNT
1	Installation of rear grab handles on body - One each side of body-rear (Wilcox body supplied)		
1	5 lb. A-B-C fire extinguisher with bracket - Mounting location TBD at time of install		
1	Extension of chassis frame for installation of body (as necessary)		
1	Window tint added to chassis (DOT approved)		
1	Loose wheel lug indicators installed		
1	(3) 12v LED lights mounted underneath body as follows: - Mounted underbody streetside, curbside, and underneath rear of truck - Illuminates walking area around body - Wired to cab safety switch		
1	Speed Liner 1000 black, cargo area sides & bulkhead		
1	Speed Liner 1000 black, rear bumper / tailshelf		
1	Speed Liner 1000 black, top boxes		
1	(1) E-Track mounted on the curbside of the cargo wall		
1	CTE H.D. Aluminum 7-drawer unit installed as follows: - Mounted in LV1 compartment - (4)-4" and (3)-7" removable drawers - Aluminum construction - Patented motion latch drawer handles - 250 lb. capacity roller slides - Powder coated Hunter Green - (4) Divider kits (in 4" drawer) - Rubber liners in all drawers		
1	CTE H.D. Aluminum 7-drawer unit installed as follows: - Mounted in LV2 compartment - (1)-3", (3)-4", and (3)-7" removable drawers - Aluminum construction - Patented motion latch drawer handles - 250 lb. capacity roller slides - Powder coated Hunter Green - (3) Divider kits (in 4" drawers) - Rubber liners in all drawers		
1	CTE H.D. Aluminum 2-drawer unit installed as follows: - Fits RV1 compartment - (2)-7" removable drawers - Aluminum construction		

345 W. Karcher Road
Nampa, ID 83687
Phone: 800-733-0342
Fax: 208-887-7794

1607 Industrial Road
Las Vegas, NV 89102
Phone: 888-258-9812
Fax: 702-385-9936

4691 FM 1516 N.
Converse, TX 78109
Phone: 855-587-7788
Fax: 210-301-2037

4620 E. Trent Avenue
Spokane, WA 99212
Phone: 800-572-4369
Fax: 509-535-4294

2800 Golden Triangle Blvd
Fort Worth, TX 76177
Phone: 882-990-6790
Fax: 208-887-7794

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615

Client Proposal

Prepared by:

ROCKY SHOFFSTALL

Office: 210-860-7537

Email: rshoffstall@cavendergrandeford.com

Quote ID: 71825Sigu

Date: 07/29/2025



Cavender Grande Ford | 3600 N IH 35, San Antonio, Texas, 78219
Office: 210-245-7002 | Fax: 210-666-7211



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Re: Quote ID 71825Sigu 07/29/2025

To Whom It May Concern,

Thank you very much for your interest in acquiring a vehicle from our dealership. We concur that your interest is well deserved. We hope that an outstanding product lineup and our dedication to customer service will enhance your ownership experience should you decide to buy a vehicle from us.

Attached, please find additional information that I hope will assist you in making a more informed decision. Please feel free to contact me at any time as I would truly appreciate the opportunity to be of service to you.

Sincerely,

ROCKY SHOFFSTALL

Fleet Sales

210-860-7537

rshoffstall@cavendergrandeford.com



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

As Configured Vehicle

Code	Description	MSRP
Base Vehicle		
W7D	Base Vehicle Price (W7D)	\$85,860.00
Engines		
99X	6.7L Power Stroke V8 Turbo Diesel - 330 HP @ 2600 RPM Torque: 850 ft.lbs. @ 1500 rpm. <i>850 lb.-ft. torque @ 1500 RPM.</i>	\$3,495.00
425	50-State Emissions	N/C
41H	Engine Block Heater, Phillips, 120 Volt/750 Watt <i>Includes removable grille cover.</i>	\$155.00
98R	Active Regen Control <i>Allows Driver to Inhibit Automatic Regen until Regen can be performed in a Safe location.</i>	\$205.00
Transmissions		
44D	Ford TorqShift HD 10-Speed Automatic - with PTO Provision <i>Includes tow/haul.</i>	STD
Front Wheels & Tires		
643	Wheels, Front 22.5" x 8.25" White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>	STD
T2A	Tires, Front Two 11R22.5H Goodyear Fuel Max RSA (497 rev/mile)	STD
Rear Wheels & Tires		
663	Wheels, Rear 22.5" x 8.25" White Powder Coated Steel, 10-Hole <i>(285.75MM BC) hub piloted, flanged nut, metric mount, 8.25 DC rims; with steel hubs.</i>	STD
R2H	Tires, Rear Four 11R22.5H Goodyear Fuel Max RTD (493 rev/mile)	\$175.00
Brakes		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

As Configured Vehicle (cont'd)

Code	Description	MSRP
67A	Air Brakes (4 WHEEL DRUM) - Straight Truck w/Traction Control <i>Meritor Q-Plus with ABS, Bendix Anti-Lock Brake System, 4-channel, includes 15" x 4" front brakes, dual direct reading air pressure gauges, brake lines color coded nylon, Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve, automatic slack adjusters front and rear, two rear spring parking air brake chambers mounted on front of rear axle, three drain valves and two air tanks (Reference Body Builders Book for location). Rear brake size and components dependent upon axle selection. Uses existing ABS system to minimize wheel slipping during acceleration. Usage determined by the air brake package selected. (Not recommended with Hi-Rail Train Systems). Deletes hand operated park brake lever.</i> <i>Includes:</i> - Air Dryer, Bendix AD/IS w/Heater Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).	N/C
67C	Air Brakes (FRONT DISC / REAR DRUM) - Straight Truck w/Traction Control <i>Bendix 13.2 CFM capacity air compressor, instrument panel mounted yellow knob parking brake control valve. Deletes hand operated park brake lever.</i> <i>Includes:</i> - Air Dryer, Bendix AD/IS w/Heater Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).	\$3,020.00
18A	Electronic Stability Control DELETE <i>Deletes the standard ESC feature.</i>	-\$290.00
62D	Air Dryer, Bendix AD/IS w/Heater <i>Mounted left frame rail (for Hydraulic brake diesel applications that include air suspension or stand alone engine air compressor).</i>	Included
158	Trailer Air Brake Package <i>Includes air lines to rear of frame, hand control valve and tractor protection valve.</i>	\$365.00
159	Trailer Connection Socket - 7-Way, Wired for Turn Signals Combined with Stop <i>Mounted at rear of frame, for combined trailer stop, tail, turn (compatible with trailers that use combined stop, tail, turn lights).</i>	\$100.00
Front Axle and Suspension		
43P	12,000 lb. Cap. Non-Driving - Dana E-1202I - I-Beam Type	\$525.00
61E	Taper-Leaf Springs, Parabolic - 13,200 lb. Cap <i>3-leaf, 62" x 3.15". Also includes, standard duty, dual, double acting shock absorbers.</i>	\$365.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

As Configured Vehicle (cont'd)

Code	Description	MSRP
60A	Lube, Front Axle, EmGard 50W, Synthetic Oil	\$50.00
Rear Axle and Suspension		
476	21,000 lb. Single Reduction - Locking - Dana / Spicer 21060D <i>NOTE: When specifying an axle ratio, check performance guidelines for startability and gradeability.</i>	\$1,830.00
68R	Multi-Leaf Springs - 23,000 lb. Cap <i>For 21,000 lb., 23,000 lb. and 26,000 lb. rear axles. Includes 4,500 lb auxiliary rubber spring.</i>	\$230.00
961	Shock Absorbers, Rear - Double Acting	\$165.00
607	Lube, Rear Axle, EmGard 75W-90, Synthetic Oil	\$100.00
X6D	6.50 Axle Ratio	N/C
Wheelbase		
194WB	194" Wheelbase/84" CA/49" AF/282" OAL	\$85.00
Frame		
538	Single Channel - Straight 'C' 16.98 SM, 120,000 PSI <i>2,037,600 RBM. Heat treated alloy steel; 10.250" x 3.610" x 0.375" (260.4mm x 91.66mm x 9.5mm).</i>	\$650.00
Exhaust		
91G	Under Cab, Right Side Outlet, Switchback-Style <i>Single, horizontal muffler, right side, under cab, outside of frame rail with rear discharge.</i>	STD
Fuel Tanks		
65E	Fuel Tank - LH 65 Gallon Rectangular - Aluminum	STD
Electrical / Alternator / Battery		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

As Configured Vehicle (cont'd)

Code	Description	MSRP
17A	Extra Heavy Duty Alternator - 12-Volt, 240 Amps	\$410.00
55M	Jump Start Stud - Remote Mounted	\$90.00
63B	Battery - Two 900 CCA, 1800 Total, Includes Steel Battery Box <i>12Volt, Motorcraft.</i>	\$60.00
59C	Body Builder Wiring - At End of Frame, Combined - (ILO Standard - Back of Cab Combined) <i>Includes sealed connectors for 2 ground circuits, with combined left/stop, combined right/stop, stop lamps, back up lamps. Also includes 2 additional pass through wires to cab.</i>	\$135.00
17M	Back-Up Alarm - Electric, 102 dBA	\$110.00
86M	Vehicle Integration System 1.0	\$320.00
16V	Voltmeter <i>Available in message center.</i>	\$100.00
61A	Embedded Modem Delete	-\$75.00

This will be a forced option on all vehicles built on or after July 7, 2025.

Starting with units built on and after July 7, 2025 we will no longer be installing an embedded modem for the rest of the model year production. This is necessary because our modem supplier is exiting the business and cannot supply us parts beyond that date. Due to our unique electrical architecture, we cannot leverage suppliers of other FordPro vehicles, so the decision was made to stop installing modems and continue vehicle production until a new vendor can be identified and a modem developed for next model year. Units built on or after the above effective date will automatically have order code 61A (Embedded Modem Delete) added to the vehicle specs and will receive a credit on the invoice for the loss of modem functionality.

Seats

88G	30/70 Air Ride Driver (External Air Source) & Fixed 2-Passenger Bench - Vinyl	\$395.00
87C	60/40 Rear Bench Seat w/Flip-Up Cushion and Fold-Down Back <i>Trim will match selected driver seat material.</i>	STD

Cab Interior

600A	Preferred Equipment Package 600A <i>Includes:</i> <i>- Bumper, Front - Black, Full Width</i> <i>- Wheel Seals, Front - Oil lubricated, SKF ScotSeal PlusXL Seals</i> <i>- Wheel Seals, Rear - Oil lubricated, SKF ScotSeal PlusXL Seals</i>	N/C
------	---	-----

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

As Configured Vehicle (cont'd)

Code	Description	MSRP
	<ul style="list-style-type: none"> - Manual Regen Initiation - Driver Interface in Message Center - Engine Exhaust Brake - Painted Grille - Plastic - Lights - Roof Marker/Clearance - Amber Lenses, 5 Lights - Tow Hooks, Front (2) - Frame-Mounted, Painted Black - Four Body Builder Switches - Mounted in Center Instrument Panel With connector access located in engine compartment. Amperages vary by switch: 10, 15, 25, 25. - Floor Covering - Black Vinyl - Intelligent Oil Life Monitor - Steering Column - Tilt / Telescoping - Steering Wheel - Black PVC w/Integral Cruise Control Switches, includes Audio Controls 	
61M	Rear View Camera w/Mirror Display	\$560.00
	Rear view mirror video with full length display included in kit. To be installed by Upfitter.	
90P	Power Equipment Group - (Included in (90A) Appearance Group)	\$580.00
	Includes power front side windows, power rear side windows, power door locks and door trim panel.	
	Includes:	
	- Remote Keyless Entry	
55P	110 A/C Outlet - in Lower Center Finish Panel	\$100.00
588	Radio: AM/FM Stereo w/2 Speakers, USB input, Clock Display and Bluetooth	STD

Cab Exterior

59A	Horn, Air - Black, Single Trumpet	\$90.00
	Air solenoid operated, chassis mounted on rail back of bumper.	
54F	Mirrors, Trailer Tow, Powered - Sail Mount - w/Power Telescoping & Power Folding	\$365.00
	Includes power heated glass, heated convex spotter and integrated clearance lights/turn signals. Heat controls dash mounted.	
63F	Aux Spot Mirrors - Front Fender Mounted - (2) Driver Side and Passenger Side	\$285.00

Miscellaneous

PAINT	Paint Type - Environmentally Friendly, "3 - Wet System"	STD
-------	---	-----

Exterior Color

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

As Configured Vehicle (cont'd)

Code	Description	MSRP
YZ_01	Oxford White	N/C
Interior Color		
E_01	Gray	N/C
SUBTOTAL		\$100,610.00
Fuel Charge (12)		\$0.00
Destination Charge		\$2,495.00
TOTAL		\$103,105.00

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs

Dimensions

• GCWR: 50,000 lbs. • Front brake diameter: 15.0" • **Rear brake diameter: 16.5"** • Driver distance from axle: 54.4" • **Vehicle body length: 282.0"** • Vehicle body width: 96.7" • **Vehicle body height: 95.1"** • **Wheelbase: 194.0"** • **Turning radius (to curb): 26.3'** • **Front track: 83.5"** • **Rear track: 72.7"** • **Cab to axle: 84.0"** • Rear tire outside width: 96.0" • Axle to end of frame: 49.0" • **Frame section modulus: 17.0 cu.in.** • **Frame yield strength (psi): 120000.0** • Frame rail depth: 10.3" • **Frame rail width: 3.6"** • Frame rail thickness: .4" • Frame rail section: 9.5" • Front bumper to front axle: 39.0" • Headroom first-row: 40.7" • Headroom second-row: 40.8" • Leg room first-row: 41.4" • Leg room second-row: 42.1" • Shoulder room first-row: 68.0" • Shoulder room second-row: 68.0" • Hip room first-row: 67.6" • Hip room second-row: 67.6"

Powertrain

• Compression ignition system • **6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 330HP** • Engine cylinders: V-8 • **Horsepower: 330 HP@2600 RPM** • **Torque: 850 lb.-ft.@1500 RPM** • **Engine block heater** • Radiator • Engine retarder system • Auxiliary power take-off • Fuel/water separator • RNDM shift indicator • 75 mph speed limiter • TorqShift 10-speed automatic • Rear-wheel drive • Recommended fuel: diesel • Low-speed ABS traction control • **Driver controlled locking rear differential**

Fuel Economy and Emissions

• Federal emissions

Suspension and Handling

• Standard ride suspension • Gas-pressurized front shock absorbers • **Gas-pressurized rear shock absorbers**

Driveability

• **Air brake system** • **Front ventilated disc brakes** • 4-wheel antilock (ABS) brakes • Four channel ABS brakes • Rigid axle front suspension • Leaf spring front suspension • Tapered leaf front suspension • Rigid axle rear suspension • Leaf spring rear suspension • Hydraulic power-assist steering system • Re-circulating ball steering • 2-wheel steering system

Body Exterior

• **Trailer wiring harness** • Side assist steps • 4 doors • Monotone paint • Black side window trim • Black door handles • Black windshield trim • Black front bumper • 2 front tow hooks • Straight front bumper ends • Black grille • Hood mounted grille • Convex spotter in driver and passenger side door mirrors • **Video-feed rearview mirror** • **Power extendable trailer mirrors** • **Exterior mirror mounted clearance lights** • **Turn signal indicator in door mirrors** • Black door mirrors • **Driver side mirror clearance lights** • **Passenger side mirror clearance lights** • Conventional left rear passenger door • Conventional right rear passenger door • English measure truck 279/82R22.5 AS BSW front and rear tires • 22.5 x 8.25-inch front and dual rear wheels • White front wheels • Steel front wheels • White rear wheels • Steel rear wheels • Disc rear wheel

Convenience

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

* **Power door locks with 2 stage unlocking** * **Keyfob activated door locks** * **Auto-locking doors** • Cruise control with steering wheel mounted controls * **Power first-row windows** • Driver foot rest • Fixed rear windshield • Front beverage holders • Standard glove box • 2 beverage holders * **Driver and passenger door bins** * **Rear door bins** • Dashboard storage • Trip computer • Upfitter switches * **Single air horn** • Steering column lever gearshift location

Comfort

• Manual climate control • Cloth headliner material • Full headliner coverage • Full vinyl floor covering • Full floor coverage • Vinyl rear seat upholstery • Carpet rear seatback upholstery • Urethane steering wheel • Manual tilting steering wheel • Manual telescopic steering wheel

Seats and Trim

* **Seating capacity: 6** • Driver seat armrest * **Front seat center armrest** • Bucket driver seat • Folding driver seat back • Low driver seat back * **Driver seat air suspension** • 4 driver seats way-direction • Manual fore/aft * **Two person benchfront seat** • Low passenger seat back • 2 passenger seats way-direction • Manual fore/aft • Fixed rear seats • Split-bench rear seat • Vinyl front seat upholstery

Entertainment Features

• AM/FM stereo radio • AM/FM • In-vehicle audio • AM radio • FM radio • Seek scan • Auxiliary input jack • External memory control • Standard grade speakers • Speakers number: 2 • Steering wheel mounted audio controls • Wireless audio streaming • Fixed audio antenna

Lighting, Visibility and Instrumentation

• Analog instrumentation display • Trip odometer • Digital clock • Driver information center • Tachometer • Oil pressure gauge • Engine/electric motor temperature gauge * **Voltmeter** • Oil temperature gauge • Transmission fluid temperature gauge • Engine hour meter • Diesel exhaust fluid (def) gauge * **Primary air pressure gauge** • Light tinted windows • Reflector headlights • Halogen headlights • Auto on/off headlight control • Multiple enclosed headlights • Delay-off headlights • DRL preference setting • Variable intermittent front windshield wipers • Speed sensitive wipers * **Illuminated entry** • Rear reading lights • Variable instrument panel light • Daytime running lights • Cab clearance lights • Delay interior courtesy lights

Technology and Telematics

• Bluetooth handsfree wireless device connectivity • 1 USB port

Safety and Security

• Front height adjustable seatbelts • Vehicle tracker * **Remote panic alarm** * **Rear mounted camera** * **Back-up alarm**

Dimensions

General Weights

* Curb weight	11,782 lbs.	* Rear curb weight	4,315 lbs.
Front GAWR	12000 lbs.	Rear GAWR	21000 lbs.
GVWR	33000 lbs.	GCWR	50000 lbs.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Trailering Weights

GCWR 50,000 lbs.

Weights

Maximum GVWR 37,000 lbs.

Nominal RBM (in.-lbs.) 1,211,200 nominal RBM (in.-
lbs.)

* Max RBM (in.-lbs.) 2,037,600 max RBM (in.-lbs.)

Front Weights

* Front curb weight 7,467 lbs.

* Spring rating front 13,200 lbs.

* Axle capacity front 12,000 lbs.

Tire/wheel capacity front 13,220 lbs.

Rear Weights

Axle capacity rear 21,000 lbs.

* Tire/wheel capacity rear 24,020 lbs.

* Spring rating rear 23,000 lbs.

Exterior Measurements

* Vehicle body length 282.0"

* Vehicle body height 95.1"

Front brake diameter 15.0"

* Rear brake diameter 16.5"

* Rear frame height loaded 36.8"

* Turning radius (to bumper) 27.9'

* Width - mirrors extended 116.1"

* Rear track 72.7"

* Turning radius (to curb) 26.3'

Rear tire outside width 96.0"

* Frame section modulus 17.0 cu.in.

Frame rail depth 10.3"

Frame rail thickness4"

Front bumper to front axle 39.0"

Vehicle body width 96.7"

* Wheelbase 194.0"

* Front frame height loaded 35.3"

* Front frame height unloaded 37.3"

* Rear frame height unloaded 38.2"

* Width - mirrors folded 89.7"

* Front track 83.5"

Driver distance from axle 54.4"

* Cab to axle 84.0"

Axle to end of frame 49.0"

* Frame yield strength (psi) 120000.0

* Frame rail width 3.6"

Frame rail section 9.5"

Headroom

Headroom first-row 40.7"

Headroom second-row 40.8"

Legroom

Leg room first-row 41.4"

Leg room second-row 42.1"

Shoulder Room

Shoulder room first-row 68.0"

Shoulder room second-row 68.0"

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Hip Room

Hip room first-row 67.6"

Hip room second-row 67.6"

Powertrain

Engine

* **Engine 6.7L V-8 diesel direct injection, intercooled turbo, diesel, engine with 330HP**

Engine cylinders V-8

Ignition Compression ignition system

Engine block material Iron engine block

Valves per cylinder 4

Engine location Front mounted engine

Engine mounting direction Longitudinal mounted engine

Cylinder head material Aluminum cylinder head

Engine Specs

Displacement 6.7L

Bore 3.9"

Compression ratio 16.2

cc 405.9 cu.in.

Stroke 4.25"

* **Compressor capacity** 13.20 cu.ft. cfm

* **Governed RPM** 3400 RPM

* **Air system moisture ejector type** Manual air system moisture ejector

* **Air dryer** Air dryer

Engine Power

* **Horsepower** 330 HP@2600 RPM

* **Torque** 850 lb.-ft.@1500 RPM

Alternator

* **Alternator amps** 240A

Alternator type Heavy-duty alternator

Battery

Battery type Dual lead acid battery

Battery step Battery step

Battery run down protection Battery run down protection

* **Battery rating** 1800CCA

Battery location Battery location forward right

Engine Extras

* **Block heater** Engine block heater

Fuel/water separator Fuel/water separator

Engine retarder Engine retarder system

Radiator Radiator

Auxiliary power take-off Auxiliary power take-off

Shift indicator RNDM shift indicator

Transmission

Transmission TorqShift 10-speed automatic

Speed limiter 75 mph speed limiter

Lock-up transmission Lock-up transmission

Second gear ratio 2.919

Transmission electronic control Transmission electronic control

Overdrive transmission Overdrive transmission

First gear ratio 4.615

Third gear ratio 2.132

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Fourth gear ratio	1.773	Fifth gear ratio	1.519
Sixth gear ratio	1.277	Reverse gear ratio	4.695
Seventh gear ratio	1	Eighth gear ratio	0.851
Ninth gear ratio	0.687	Tenth gear ratio	0.632
Stall ratio	1.97	Selectable mode transmission	Tow/Haul Mode

selectable mode transmission

Sequential shift control Sequential shift control
PTO transmission provision PTO transmission provision

Transmission oil cooler Transmission oil cooler

Drive Type

Drive type Rear-wheel drive

Drivetrain

* Axle ratio 6.5

Axle speed Single axle speed

Exhaust

Tailpipe Aluminized steel single exhaust
Additional muffler location right
Additional tailpipe location right

Additional muffler type horizontal
Additional tailpipe type horizontal

Fuel

Fuel type diesel

Fuel Tank

Front left fuel tank shape rectangular
DEF capacity 8.00 gal.

Front left fuel tank capacity 65.01 US gallons

Drive Feature

Traction control Low-speed ABS traction control

* Differential Driver controlled locking rear differential

Fuel Economy and Emissions

Emissions

Emissions Federal emissions

Suspension and Handling

Suspension

Suspension Standard ride suspension

Front shock absorbers Gas-pressurized front shock absorbers

* Rear shock absorbers Gas-pressurized rear shock absorbers

Driveability

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Brakes

* **Brake type** **Air brake system**
ABS brakes Four channel ABS brakes

* **Ventilated brakes** **Front ventilated disc brakes**
ABS brakes 4-wheel antilock (ABS) brakes

Front Suspension

Suspension ride type front Rigid axle front suspension

Suspension type front Leaf spring front suspension

Front Spring

Regular front springs Regular front springs

Springs front Tapered leaf front suspension

Rear Spring

Springs rear Multi-leaf rear suspension
Auxiliary rear spring Rubber auxiliary rear spring

Rear springs Regular grade rear springs

Rear Suspension

Suspension type rear Leaf spring rear suspension

Suspension ride type rear Rigid axle rear suspension

Steering

Steering Hydraulic power-assist steering system
Steering type number of wheels 2-wheel steering system

Steering type Re-circulating ball steering

Exterior

Front Wheels

Front wheels diameter 22.5"

Front wheels width 8.3"

Rear Wheels

Rear wheels diameter 22.5"

Rear wheels width 8.3"

Front And Rear Wheels

Appearance none

Front Tires

Aspect 82
Sidewalls BSW
Type english measure truck tire
Front wheel - RPM 497

Diameter 22.5"
Tread AS
Width 279mm

Rear Tires

Aspect 82
Sidewalls BSW
Type english measure truck tire
* **Rear wheel - RPM** **493**

Diameter 22.5"
Tread AS
Width 279mm

Body Exterior

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Trailer

* Towing wiring harness Trailer wiring harness

Exterior Features

Number of doors 4 doors

Front splash guards Front splash guards

Side steps Side assist steps

Frame

Clean CA frame Clean CA frame

Body

Body panels Composite and galvanized steel body panels

Mirrors

Convex spotter Convex spotter in driver and passenger side door mirrors

* Video rearview mirror Video-feed rearview mirror

* Turn signal in door mirrors Turn signal indicator in door mirrors

Tires

Front tires LT load rating H

Rear tires LT load rating H

Wheels

Front wheel type Disc front wheel

Number of front wheel studs 10 front wheel studs

Dual rear wheels Dual rear wheels

Number of rear wheel studs 10 rear wheel studs

Convenience

Door Locks

* Door locks Power door locks with 2 stage unlocking

* Auto door locks Auto-locking doors

* Keyfob door locks Keyfob activated door locks

Cruise Control

Cruise control Cruise control with steering wheel mounted controls

Exterior Mirrors

* Door mirrors Power door mirrors

Heated door mirrors Heated driver and passenger side door mirrors

* Folding door mirrors Power folding door mirrors

Front Side Windows

* First-row windows Power first-row windows

Passenger Visor

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Visor passenger mirror Passenger visor mirror

Power Outlets

12V power outlets 2 12V power outlets

* 120V AC power outlets 1 120V AC power outlet

Pedals

Driver foot rest Driver foot rest

Rear Windshield

Rear windshield Fixed rear windshield

Storage

* Door bins front Driver and passenger door bins

* Door bins rear Rear door bins

Number of beverage holders 2 beverage holders

Beverage holders Front beverage holders

Glove box Standard glove box

Dashboard storage Dashboard storage

Windows Feature

* One-touch up window Driver and passenger one-touch up windows

* One-touch down window Driver and passenger one-touch down windows

Windows Rear Side

* Second-row windows Power second-row windows

Miscellaneous

Trip computer Trip computer

Gearshift location Steering column lever gearshift location

Upfitter switches Upfitter switches

* Horn Single air horn

Comfort

Climate Control

Climate control Manual climate control

Headliner

Headliner material Cloth headliner material

Headliner coverage Full headliner coverage

Floor Trim

Floor covering Full vinyl floor covering

Floor coverage Full floor coverage

Second-Row Seat Trim

Rear seat upholstery Vinyl rear seat upholstery

Rear seatback upholstery Carpet rear seatback upholstery

Steering Wheel

Steering wheel material Urethane steering wheel

Steering wheel telescopic Manual telescopic steering wheel

Steering wheel tilt Manual tilting steering wheel

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Seats and Trim

Seat Capacity

* Seating capacity 6

Front Seats

Front seat type Bucket driver seat

Driver seat back Folding driver seat back

* Driver seat suspension Driver seat air suspension

Driver seat fore/aft Manual fore/aft

Passenger seats way-direction 2 passenger seats way-direction

Armrests front driver Driver seat armrest

* Front seat type Two person benchfront seat

Driver seat back type Low driver seat back

Driver seats way-direction4 driver seats way-direction

Passenger seat back type Low passenger seat back

Passenger seat fore/aft Manual fore/aft

* Armrests front center Front seat center armrest

Rear Seats

Bench seats Split-bench rear seat

Folding second-row seats 60-40 folding rear seats

Rear seat folding position Fold-up rear seat cushion

Rear seats fixed or removable Fixed rear seats

Rear seat direction Front facing rear seat

Front Seat Trim

Front seat upholstery Vinyl front seat upholstery

Front seatback upholstery Carpet front seatback upholstery

Gearshifter Material

Gearshifter material Urethane gear shifter material

Entertainment Features

Radio Features

Aux input jack Auxiliary input jack

Seek scan Seek scan

External memory External memory control

Speakers

Speakers Standard grade speakers

Speakers number 2

Audio Features

Steering mounted audio control Steering wheel mounted audio controls

Wireless streaming Wireless audio streaming

Lighting, Visibility and Instrumentation

Instrumentation

Trip odometer Trip odometer

Instrumentation display Analog instrumentation display

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

Instrumentation Displays

Driver information center Driver information center Clock Digital clock

Instrumentation Gauges

Tachometer Tachometer * **Primary air pressure gauge** **Primary air pressure gauge**
Oil pressure gauge Oil pressure gauge Oil temperature gauge Oil temperature gauge
Transmission temperature gauge Transmission fluid temperature gauge * **Voltmeter** **Voltmeter**
Engine/electric motor temperature gauge Engine/electric motor temperature gauge
DEF fluid gauge Diesel exhaust fluid (def) gauge Engine hour meter Engine hour meter

Instrumentation Warnings

Oil pressure warning Oil pressure warning Low fuel warning Low fuel warning
Low brake fluid warning Low brake fluid warning Battery charge warning Battery charge warning
Headlights on reminder Headlights on reminder Key in vehicle warning Key in vehicle warning
Door ajar warning Door ajar warning Service interval warning Service interval indicator
Transmission fluid temperature warning Transmission fluid temp warning Low diesel exhaust fluid (DEF) warning Low diesel exhaust fluid (DEF) warning

Glass

Tinted windows Light tinted windows

Headlights

Headlights Halogen headlights Headlight type Reflector headlights
Auto headlights Auto on/off headlight control Multiple headlights Multiple enclosed headlights
Delay off headlights Delay-off headlights DRL preference setting DRL preference setting

Front Windshield

Wipers Variable intermittent front windshield wipers Speed sensitive wipers Speed sensitive wipers

Interior Lighting

* **Illuminated entry** **Illuminated entry** Variable panel light Variable instrument panel light
Rear reading lights Rear reading lights

Lights

Running lights Daytime running lights Interior courtesy lights Delay interior courtesy lights
Clearance lights Cab clearance lights

Technology and Telematics

Connectivity

Handsfree Bluetooth handsfree wireless device connectivity

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Selected Equip & Specs (cont'd)

USB Ports

USB ports 1 USB port

Safety and Security

Seatbelts

Height adjustable seatbelts Front height adjustable
seatbelts

Security System

* Remote panic alarm Remote panic alarm Vehicle tracker Vehicle tracker

Cameras

* Rear camera Rear mounted camera

Parking Sensors

* Back up alarm Back-up alarm

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL
07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Warranty

Standard Warranty

Basic Warranty

Basic warranty 24 months/unlimited

Powertrain Warranty

Powertrain warranty 24 months/unlimited

Corrosion Perforation

Corrosion perforation warranty 36 months/unlimited

Roadside Assistance Warranty

Roadside warranty 24 months/unlimited

Diesel Engine Warranty

Diesel engine warranty 60 months/250,000 miles

Transmission Warranty

Transmission warranty 60 months/250,000 miles

Frame Rail Warranty

Frame Rail Warranty 60 months/unlimited

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025



Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Vehicle Dimension and Performance Summary

Performance predictions in this report represent an estimate of vehicle performance based on standard operating conditions. Variations in customer equipment, load configuration, ambient conditions, and/or operator driving techniques can cause significant variations in vehicle performance. These values are not representative of results that may be shown in actual dynamometer tests. This report should therefore be used as a guide for comparative vehicle performance.



Dimensions

A	Front of Bumper to Front Axle	39.00 in.
B	Front Bumper to Back of Cab (BBC)	149.00 in.
C	Wheelbase (WB)	194.00 in.
D	Overall Length (OAL)	282.00 in.
E	Back of Cab to Rear Axle (CA)	84.00 in.
F	Back of Cab to End of Frame	133.00 in.
G	Rear Axle to End of Frame (AF)	49.00 in.
H	Frame Section Height	10.30 in.
I	Rear Frame Height Unloaded	38.20 in.
I	Rear Frame Height Loaded	36.80 in.
J	Cab Height	95.10 in.
K	Body Width	96.70 in.
L	Maximum Ground Clearance	N/A
L	Minimum Ground Clearance	N/A
M	Front Tread	83.50 in.
M	Rear Tread	72.70 in.

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL


07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Vehicle Dimension and Performance Summary (cont'd)



Weight

Licensing

GVWR exceeds 26,000 lbs and requires a Commercial Driver's License (CDL). Contact your local state commercial driver licensing office for specifics on what your state requires.

GVW	Front Axle	Rear Axle	Totals
Chassis	7,467 lbs	4,315 lbs	11,782 lbs
Body	0 lbs	0 lbs	0 lbs
Occupants Weight	500 lbs	250 lbs	750 lbs
1 Max Payload - (Max Payload)	4,033 lbs	16,435 lbs	20,468 lbs
TOTAL	12,000 lbs	21,000 lbs	33,000 lbs

Ratings	Front Axle	Rear Axle	GVWR
GAWR	12,000 lbs	21,000 lbs	33,000 lbs
Wheels/Tires	13,220 lbs	24,020 lbs	
Suspension	13,200 lbs	23,000 lbs	
Axle	12,000 lbs	21,000 lbs	
Legal Axle Limit	0 lbs	0 lbs	

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)

Price Level: 615 | Quote ID: 71825Sigu

Vehicle Dimension and Performance Summary (cont'd)

Start, Grade and Speed

Shift Indicator

Vehicle equipped **without** Park Pawl. Shift indicator will display **RNDM**.

Start	Ratio	Desired	Calculated
Start grade capability in 1st gear	4.62	15.00 %	35.07 %
Start grade capability in reverse	4.70	15.00 %	35.67 %
Grade	Ratio	Desired	Calculated
Maximum grade in 8th gear	0.85	3.00 %	6.56 %
Maximum grade in 9th gear	0.69	3.00 %	5.30 %
Maximum grade in 10th gear	0.63	3.00 %	4.88 %
Speed		Desired	Calculated
Top Speed (level grade)		75 mph	101 mph
To meet your requirement you need a maximum axle ratio of 8.73			
Top Speed on 3% grade		55 mph	
To meet your requirement you need a maximum of 198 hp			
Cruise Speed		60 mph	68 mph
Engine RPM at desired cruise speed			2,025 rpm

Variables in Use

Start

Rear axle ratio:	6.50	Clutch engagement torque:	425 ft.lbs.
Tire size:	11R22.5 (493 rev/mile)	Torque conversion ratio:	1.97
Gross Vehicle Weight (GVW):	33,000 lbs		

Grade

Rear axle ratio:	6.50	Gross Vehicle Weight (GVW):	33,000 lbs
Tire size:	11R22.5 (493 rev/mile)	Peak engine torque:	850 ft.lbs.

Speed

Engine Power:	330 hp @ 2,600 rpm	Worst road surface:	Typical Highway
Governed RPM:	3,400 rpm	Final Drive Ratio:	0.63
Frontal Area:	57.82 ft²	Drag Coefficient:	0.80
Cruising RPM:	2,300 rpm		

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.



Prepared by: ROCKY SHOFFSTALL

07/29/2025

Cavender Grande Ford | 3600 N IH 35 San Antonio Texas | 78219

2026 F-750 Diesel Crew Cab Base (W7D)


Price Level: 615 | Quote ID: 71825Sigu

Vehicle Dimension and Performance Summary (cont'd)

Turning Radius

Turning radius to curb: 26.31 ft

Turning radius to bumper: 27.89 ft



Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.