

Presents a Proposal Summary

of the



2100i

Combination Single Engine Sewer Cleaner with Positive Displacement Vacuum System Mounted on a Heavy-Duty Western Star 47X Truck Chassis

For



PRODUCT DESCRIPTION

- 2100i with Roots 824-18" Hg. Blower, 10 Yard Debris body, 1500 Gallons of Fresh Water

STANDARD FEATURES

- 48" x 22" x 24" Curb Side Aluminum Toolbox
- Aluminum Fenders
- Mud Flaps
- Electric/Hydraulic Four Way Boom
- Color Coded Sealed Electrical System
- Intuitouch Electronic Package
- Double Acting Dump Hoist Cylinder
- Handgun Assembly w/35' x 1/2" Hose w/Quick Disconnects
- 3" Y-Strainer at Water Pump Inlet
- Ex-Ten Steel Cylindrical Debris Tank
- Flexible Hose Guide
- (3) Nozzles with Carbide Inserts w/Rack
- Suction Tube Storage - 4 Pipe
- 1" Nozzle Pipe
- 10' Leader Hose
- Flat Rear Door w/Hydraulic Locks
- Dual Stainless Steel Float Shut Off
- Debris Body Vacuum Relief System
- Debris Deflector Plate
- 60" Dump Height
- Additional Water Tank Sight Guage
- Liquid Float Level Indicator
- Boom Transport Post Storage
- Boom Out of Position Indicator/Alarm
- Body Out of Position Indicator/Alarm
- 3" Y-Strainer @ Water Pump
- Performance Package
- 1" Water Relief Valve
- Microstrainer Prior to Blower
- Midship Handgun Coupling
- Side Mounted Water Pump
- Hose Wind Guide (Dual Roller)
- Hose Reel Manual Hyd. Extend/Retract
- Hose Reel Chain Cover (Full)
- Hydraulic Extending 15", Rotating Hose Reel, 1" x 800' Capacity
- Tachometer & Hourmeter/Blower
- Circuit Breakers
- LED Lights. Clearance, Back-Up, Stop, Tail & Turn
- Tow Hooks, Front and Rear
- Electronic Back-Up Alarm
- Hydraulic Tank Shutoff Valves
- Module Paint, Dupont Imron Elite - Sanded Primer Base
- 7" Vacuum Pipe Package
- Emergency Flare Kit
- Fire Extinguisher 5 Lbs.
- Subframe Mounted, 2-Pipe Rack, 7"
- Low Water Alarm with Water Pump Flow Indicator
- Joystick Boom Control
- Rodder System Accumulator- Jack Hammer on/off control w/ manual valve
- Digital Hose Footage Counter
- Water Pump Hour Meter
- PTO Hour Meter
- Hydraulic Oil Temp Alarm

- Digital Water Pressure Gauge

ADDITIONAL FEATURES

- Stainless Steel Cage for Float Shut Off System
- Roots 824-18" Hg. Blower
- 180 deg. 10' x 15' Rapid Deployment Boom
- 80 GPM Variable Flow Water System
- 2500 PSI Water Pressure
- Hydraulic Cooling Package
- 1" x 800' Sewer Hose, 2500 PSI
- Debris Body Washout
- 6" Butterfly Valve, Rear Door, 3:00 Position
- Centrifugal Separators (Cyclones)
- Folding Pipe Rack, Curbside, 7" Pipe
- Folding Pipe Rack, Streetside, 7" Pipe
- Folding Pipe Rack, Rear Door, 7" Pipe
- Rear Door Splash Shield
- Lube Manifold
- Plastic Lube Chart
- Hot Shift Blower Drive (automatic transmission)
- Backpack Wireless Controls with hose reel controls, 2-way communications, and LCD Display
- Rotatable Boom Inlet Hose
- Handgun Couplers, Front and Rear
- Hose Wind Guide (Dual Roller), Auto, Indexing
- Rodder Hose Pinch Roller
- High Pressure Hose Reel
- Rodder Pump Drain Valves
- Rear Directional Control, LED Arrowboard
- Front Directional Control, LED Arrowstick
- Front Mounted, LED Beacon Light w/Limb Guard
- Work lights (2), LED, Boom
- Work lights (2), LED, Rear Door
- Work light, LED, Operators Station
- Work light, LED, Hose Reel Manhole
- Work light, LED, Curb Side
- Work light, LED, Street Side
- Toolbox, Front Bumper Mounted, 16 x 12 x 18 w/ (2) LED Side Markers
- Toolbox, Behind Cab
- Toolbox, Driver Side Chassis Frame, 24w x 24h x 24d
- Toolbox, Driver Side Subframe, 18w x 24h x 24d
- (4) Long Handle Tool Storage Locations Behind Cab
- Camera System, Front, Rear and Both Sides
- Safety Cone Storage Rack - Post Style
- Additional Safety Cone Storage Rack - Post Style
- Digital Water Level Indicator
- Digital Debris Body Level Indicator
- Blower High Temperature Safety Shutdown
- (4) 6" Quick Clamp Assembly
- 1" x 35' Leader Hose Assembly
- (2) 7" x 60" Vacuum Pipe Weldments
- (2) 7" x 36" Vacuum Pipe Weldments
- (1) 7" Adjustable Air Adapter
- Extended Factory Warranty – 2 Years
- Vector Standard Manual and USB Version – 1
- Expanded metal baskets mounted on top of toolboxes
- Meteorlite/Piranha Lights Strobe Light Mounting System. Led corner strobe system, front left and right, rear left and right, operated from it own switch
- 1" Quick Coupling at Water Fill

- Toolboxes on each individual truck must be keyed ALIKE but Each truck ordered must be keyed differently from each other
- Wheel Chocks and Holders - Each Side

Chassis Source – Doggett Freightliner of South Texas, LLC (Current TIPS Contract Holder)

Module Paint Match Cab - Yes

Module Paint Color - White

Cab Color - White

Door Stripe Color - None

Chassis Axle - Tandem

Certified Unit Weight Required - No

Total TIPS Contract Price F.O.B. Seguin, TX:

\$539,333.00

Product Model: 2100i

Proposal Date: 12/22/2022

Quote Number: 2022-50787

Price List Date: 9/5/2022

Payment Terms: Net Due Upon Delivery

Proposal Notes:

1. Prices quoted herein are firm until 1/31/23.
2. This proposal is made as a matter of convenience. Any order desired to be placed in conjunction with this proposal must be made in favor of Doggett Freightliner of South Texas, LLC as only a franchise motor vehicle dealer may title, register, and plate new motor vehicles within the State of Texas. Doggett Freightliner of South Texas, LLC is the exclusive TIPS (The Interlocal Purchasing System) contract holder for the Western Star 47X chassis under TIPS contract # 200206 as offered in this proposal.

SIGNED BY:

Date: _____

LIMITED WARRANTY

Limited Warranty. Each machine manufactured by VACTOR MANUFACTURING (or, "the Company") is warranted against defects in material and workmanship for a period of 12 months, provided the machine is used in a normal and reasonable manner and in accordance with all operating, maintenance and safety instructions. In addition, certain machines and components of certain machines have extended warranties as set forth below. If sold to an end user, the applicable warranty period commences from the date of delivery to the end user. If used for rental purposes, the applicable warranty period commences from the date the machine is first made available for rental by the Company or its representative. This limited warranty may be enforced by any subsequent transferee during the warranty period. This limited warranty is the sole and exclusive warranty given by the Company.

STANDARD EXTENDED WARRANTIES (Total Warranty Duration)

2100 Series, HXX Series and Jetters

10 years against water tank leakage due to corrosion. Nonmetallic water tanks are covered for 5 yrs. against any factory defect in material or workmanship.

2100 Series, HXX Series and Guzzler only

5 years against leakage of debris tank, centrifugal compressor or housing due to rust-through.

2100 Series and Jetters

2 years - Vactor Rodder Pump

Exclusive Remedy. Should any warranted product fail during the warranty period, the Company will cause to be repaired or replaced, as the Company may elect, any part or parts of such machine that the Company's examination discloses to be defective in material or factory workmanship. Repairs or replacements are to be made at the selling Company's authorized dealer's or distributor's location or at other locations approved by the Company. In lieu of repair or replacement, the Company may elect, at its sole discretion, to refund the purchase price of any product deemed defective. The foregoing remedies shall be the sole and exclusive remedies of any party making a valid warranty claim.

This Limited Warranty shall not apply to (and the Company shall not be responsible for):

1. Major components or trade accessories that have a separate warranty from their original manufacturer, such as, but not limited to, trucks and truck chassis, engines, hydraulic pumps and motors, tires and batteries.
2. Normal adjustments and maintenance services.
3. Normal wear parts such as, but not limited to, oils, fluids, vacuum hose, light bulbs, fuses and gaskets.
4. Failures resulting from the machine being operated in a manner or for a purpose not recommended or not in accordance with operating, maintenance or safety instructions provided by the Company.
5. Repairs, modifications or alterations without the express written consent of the Company, which in the Company's sole judgment, have adversely affected the machine's stability, operation or reliability as originally designed and manufactured.
6. Items subject to misuse, negligence, accident or improper maintenance.

NOTE The use in the product of any part other than parts approved by the Company may invalidate this warranty. The Company reserves the right to determine, in its sole discretion, if the use of non-approved parts operates to invalidate the warranty. Nothing contained in this warranty shall make the Company liable for loss, injury, or damage of any kind to any person or entity resulting from any defect or failure in the machine.

THIS WARRANTY SHALL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AND TO THE EXTENT PERMITTED, CONFERRED BY STATUTE, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY AGAINST FAILURE OF ITS ESSENTIAL PURPOSE, ALL OF WHICH ARE DISCLAIMED.

This warranty is in lieu of all other obligations or liabilities, contractual and otherwise, on the part of the Company. For the avoidance of doubt, the Company shall not be liable for any indirect, special, incidental or consequential damages, including, but not limited to, loss of use or lost profits. The Company makes no representation that the machine has the capacity to perform any functions other than as contained in the Company's written literature, catalogs or specifications accompanying delivery of the machine. No person or affiliated company representative is authorized to alter the terms of this warranty, to give any other warranties or to assume any other liability on behalf of the Company in connection with the sale, servicing or repair of any machine manufactured by the Company. Any legal action based hereon must be commenced within eighteen (18) months of the event or facts giving rise to such action.

The Company reserves the right to make design changes or improvements in its products without imposing any obligation upon itself to change or improve previously manufactured products.



VACTOR MANUFACTURING
1621 S. Illinois Street
Streator, IL 61364



